

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 5/10/2024 Revision date: 5/10/2024 Supersedes: 5/10/2024 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : Hydrosorb
Product code : AR1249

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Alpha Resources LLC

3090 Johnson Rd.

Stevensville, Michigan 49127

USA

T (269)465-5559

info@alpharesources.com - www.alpharesources.com

1.4. Emergency telephone number

Emergency number : CHEMTREC Emergency Phone Number: (800) 424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Acute toxicity (oral) Category 4 H302 Harmful if swallowed Carcinogenicity Category 1B H350 May cause cancer

Specific target organ toxicity (repeated exposure) Category 1 H372 Causes damage to organs through prolonged or repeated exposure

Full text of H statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H302 - Harmful if swallowed

H350 - May cause cancer

H372 - Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

 $\ensuremath{\mathsf{P270}}$ - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell. P308+P313 - If exposed or concerned: Get medical advice/attention.

P314 - Get medical advice/attention if you feel unwell.

P330 - Rinse mouth. P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
CALCIUM SULPHATE	CAS-No.: 7778-18-9	50 – 100	Acute Tox. 4 (Oral), H302
Magnesium perchlorate	CAS-No.: 10034-81-8	15 – 25	Acute Tox. 4 (Oral), H302
cobalt dichloride	CAS-No.: 7646-79-9	0 – 2.5	Acute Tox. 4 (Oral), H302 Carc. 1B, H350 STOT RE 1, H372

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : IF exposed or concerned: Get medical advice/attention. Call a poison center/doctor/physician if you feel

unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.

Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe

dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

5/10/2024 (Revision date) US - en 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe dust/fume/gas/mist/vapors/spray.

Hygiene measures : Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Hydrosorb

No additional information available

CALCIUM SULPHATE (7778-18-9)

USA - ACGIH - Occupational Exposure Limits	
Local name	

Local name	Calcium sulfate, the anhydrate	
ACGIH OEL TWA	10 mg/m³ (I - Inhalable particulate matter)	
Remark (ACGIH)	TLV® Basis: Nasal symptoms	
Regulatory reference	ACGIH 2024	

USA - OSHA - Occupational Exposure Limits

USA - OSHA - Occupational Exposure Limits		
Local name	Calcium sulfate	
OSHA PEL TWA [1]	15 mg/m³ (Total dust) 5 mg/m³ (Respirable fraction)	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

Magnesium perchlorate (10034-81-8)

No additional information available

cobalt dichloride (7646-79-9)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment.

5/10/2024 (Revision date) US - en 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : granules.
Color : Blue
Odor : odorless
Odor threshold : No data available

: No data available pН No data available Melting point Freezing point Not applicable Boiling point No data available Flash point Not applicable Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) : Not self-igniting. : No data available Vapor pressure : No data available Relative vapor density at 20°C Relative density : No data available

Solubility : Soluble.

Partition coefficient n-octanol/water (Log Pow) : No data available
Auto-ignition temperature : Not applicable
Decomposition temperature : No data available
Viscosity, kinematic : Not applicable
Viscosity, dynamic : No data available
Explosion limits : Not applicable
Explosive properties : No data available

Oxidizing properties : May intensify fire; oxidizer.

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

5/10/2024 (Revision date) US - en 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Hydrosorb					
ATE US (oral)	500 mg/kg body weight				
CALCIUM SULPHATE (7778-18-9)					
LD50 oral rat	> 1581 mg/kg body weight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method)				
LC50 Inhalation - Rat > 3.26 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)					
ATE US (oral)	500 mg/kg body weight				
Magnesium perchlorate (10034-81-8)					
LD50 oral 1490 mg/kg body weight Animal: other:, Guideline: other:					
ATE US (oral)	1490 mg/kg body weight				
cobalt dichloride (7646-79-9)					
LD50 oral rat	537 mg/kg				
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)				
ATE US (oral) 537 mg/kg body weight					
Skin corrosion/irritation	: Not classified				

Skin corrosion/irritation : Not classified

Carcinogenicity

cobalt dichloride (7646-79-9)		
pH	4.6 Source: HSDB	
Serious eye damage/irritation	: Not classified	

cobalt dichloride (7646-79-9)	
pH	4.6 Source: HSDB
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity :	Not classified

: May cause cancer.

CALCIUM SULPHATE (7778-18-9)	
NOAEL (chronic,oral,animal/male,2 years)	256 mg/kg body weight Animal: rat, Animal sex: male, Guideline: other:
NOAEL (chronic,oral,animal/female,2 years)	284 mg/kg body weight Animal: rat, Animal sex: female, Guideline: other:

5/10/2024 (Revision date) US - en 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

cobalt dichloride (7646-79-9)	
IARC group	2B - Possibly carcinogenic to humans
National Toxicity Program (NTP) Status	Reasonably anticipated to be Human Carcinogen
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.
CALCIUM SULPHATE (7778-18-9)	
LOAEL (oral,rat,90 days)	237 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
cobalt dichloride (7646-79-9)	
LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.31 mg/l air Animal: rat
NOAEL (oral,rat,90 days)	3 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified
Viscosity, kinematic	: Not applicable

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.

CALCIUM SULPHATE (7778-18-9)				
LC50 - Fish [1]	> 79 mg/l Test organisms (species): Oryzias latipes			
EC50 72h - Algae [1]	> 79 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)			
EC50 96h - Algae [1]	3200 mg/l Source: ECOTOX			
Magnesium perchlorate (10034-81-8)				
EC50 - Crustacea [1] 100 mg/l Test organisms (species): Daphnia magna				
cobalt dichloride (7646-79-9)				
LC50 - Fish [1]	22.32 mg/l			
EC50 - Crustacea [1]	5.89 mg/l Test organisms (species): Daphnia magna			

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

cobalt dichloride (7646-79-9)	
Partition coefficient n-octanol/water (Log Pow)	0.85 Source: International Chemical Safety Cards
12.4. Mobility in soil	

No additional information available

12.5. Other adverse effects

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

 DOT NA No
 : UN1475

 UN-No. (TDG)
 : UN1475

 UN-No. (IMDG)
 : 1475

 UN-No. (IATA)
 : 1475

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Magnesium perchlorate

Proper Shipping Name (TDG) : MAGNESIUM PERCHLORATE

Proper Shipping Name (IMDG) : MAGNESIUM PERCHLORATE

Proper Shipping Name (IATA) : Magnesium perchlorate

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 5.1 Hazard labels (DOT) : 5.1



TDG

Transport hazard class(es) (TDG) : 5.1 Hazard labels (TDG) : 5.1



IMDG

Transport hazard class(es) (IMDG) : 5.1 Hazard labels (IMDG) : 5.1



IATA

Transport hazard class(es) (IATA) : 5.1 Hazard labels (IATA) : 5.1



14.4. Packing group

Packing group (DOT) : II
Packing group (TDG) : II

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Packing group (IMDG) : II Packing group (IATA) : II

14.5. Environmental hazards

Other information : No supplementary information available

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN1475

DOT Special Provisions (49 CFR 172.102) : IB6 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1,

11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2). Additional Requirement: Composite IBCs 11HZ2 and 21HZ2 may not be used when the hazardous materials being transported may become liquid during transport.

IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation

in a closed freight container or a closed transport vehicle. T3 - 2.65 178.274(d)(2) Normal...... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 152
DOT Packaging Non Bulk (49 CFR 173.xxx) : 212
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Quantity Limitations Passenger aircraft/rail (49 : 5 kg

CFR 173.27)

175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

DOT Vessel Stowage Other : 56 - Stow "separated from" ammonium compounds,58 - Stow "separated from" cyanides

TDG

UN-No. (TDG) : UN1475
Explosive Limit and Limited Quantity Index : 1 kg
Excepted quantities (TDG) : E2
Passenger Carrying Road Vehicle or Passenger Carrying : 5 kg

Railway Vehicle Index

Emergency Response Guide (ERG) Number : 140

IMDG

Limited quantities (IMDG): 1 kgExcepted quantities (IMDG): E2Packing instructions (IMDG): P002IBC packing instructions (IMDG): IBC06IBC special provisions (IMDG): B21Tank instructions (IMDG): T3Tank special provisions (IMDG): TP33

EmS-No. (Fire) : F-H - FIRE SCHEDULE Hotel - OXIDIZING SUBSTANCES WITH EXPLOSIVE POTENTIAL

EmS-No. (Spillage) : S-Q - SPILLAGE SCHEDULE Quebec - OXIDIZING SUBSTANCES

Stowage category (IMDG) : A

Segregation (IMDG) : SGG13, SG38, SG49

Properties and observations (IMDG) : White crystals or powder. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when

heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in

a fire, may cause an explosion.

5/10/2024 (Revision date) US - en 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IATA

PCA Excepted quantities (IATA) : E2 : Y544 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 2.5kg PCA packing instructions (IATA) : 558 PCA max net quantity (IATA) : 5kg CAO packing instructions (IATA) : 562 CAO max net quantity (IATA) : 25kg ERG code (IATA) : 5L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
CALCIUM SULPHATE	7778-18-9	Present	Active	
Magnesium perchlorate	10034-81-8	Present	Active	
cobalt dichloride	7646-79-9	Present	Active	

15.2. International regulations

CANADA

CALCIUM SULPHATE (7778-18-9)

Listed on the Canadian DSL (Domestic Substances List)

Magnesium perchlorate (10034-81-8)

Listed on the Canadian DSL (Domestic Substances List)

cobalt dichloride (7646-79-9)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

CALCIUM SULPHATE (7778-18-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Magnesium perchlorate (10034-81-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

cobalt dichloride (7646-79-9)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 5/10/2024

Full text of H-phrases	
H302	Harmful if swallowed
H350	May cause cancer
H372	Causes damage to organs through prolonged or repeated exposure

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.