

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 1/26/2024 Revision date: 1/26/2024 Supersedes: 1/26/2024 Version: 2.0

SECTION 1: Identification

1.1. Identification

Product form : Substance

Substance name : Magnesium Perchlorate
Product code : AR171, AR174

1.2. Recommended use and restrictions on use

No additional information available

1.3. Supplier

Alpha Resources LLC

3090 Johnson Rd.

Stevensville, Michigan 49127

USA

T (269)465-5559

info@alpharesources.com - www.alpharesources.com

1.4. Emergency telephone number

Emergency number : CHEMTREC Emergency Phone Number: (800) 424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Oxidizing solids Category 3	H272	May intensify fire; oxidizer
Acute toxicity (oral) Category 4	H302	Harmful if swallowed
Skin corrosion/irritation Category 2	H315	Causes skin irritation
Serious eye damage/eye irritation Category 2A	H319	Causes serious eye irritation
Specific target organ toxicity - Single exposure, Category 3, Respiratory tract	H335	May cause respiratory irritation

irritation

Full text of H statements: see section 16

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : H272 - May intensify fire; oxidizer H302 - Harmful if swallowed

H302 - Harmful if swallowed H315 - Causes skin irritation H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Precautionary statements (GHS US) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

 $\ensuremath{\mathsf{P220}}$ - Keep/Store away from clothing and other combustible materials

P221 - Take any precaution to avoid mixing with combustibles P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+P312 - If swallowed: Call a poison center or doctor if you feel unwell.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

if present and easy to do. Continue rinsing.

P312 - Call a poison center or doctor if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P330 - Rinse mouth.

P332+P313 - If skin irritation occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P370+P378 - In case of fire: Use media other than water to extinguish.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with

local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Name : Magnesium Perchlorate

Name	Product identifier	%	GHS US classification
Magnesium perchlorate	CAS-No.: 10034-81-8	100	Acute Tox. 4 (Oral), H302

Full text of hazard classes and H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center/doctor/physician if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor/physician if

you feel unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical

advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam.

5.2. Specific hazards arising from the chemical

Fire hazard : May intensify fire; oxidizer.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

1/26/2024 (Revision date) US - en 2/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus.

Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing

dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear

personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Incompatible materials : Combustible materials.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Magnesium Perchlorate

No additional information available

Magnesium perchlorate (10034-81-8)

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

1/26/2024 (Revision date) US - en 3/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid Color : Off-white

Odor : Characteristic odour
Odor threshold : No data available
pH : 05-Aug

Melting point: 250Freezing point: Not applicableBoiling point: No data available

Flash point : Not applicable
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : Non flammable.
Vapor pressure : No data available
Relative vapor density at 20°C : No data available.
Relative density : 2.21

Relative density : 2.21
Molecular mass : 223.21 g/mol

Solubility : Material highly soluble in water. Soluble in alcohols.

Partition coefficient n-octanol/water (Log Pow) No data available : No data available. Auto-ignition temperature Decomposition temperature : No data available Viscosity, kinematic : Not applicable Viscosity, dynamic : No data available **Explosion limits** Not applicable No data available Explosive properties Oxidizing properties No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

May cause or intensify fire; oxidizer.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Combustible materials.

1/26/2024 (Revision date) US - en 4/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Magnesium Perchlorate

ATE US (oral) 1490 mg/kg body weight

Magnesium perchlorate (10034-81-8)

· · · · · · · · · · · · · · · · · · ·	
LD50 oral	1490 mg/kg body weight Animal: other:, Guideline: other:
ATE US (oral)	1490 mg/kg body weight

Skin corrosion/irritation : Causes skin irritation.

pH: 05-Aug

Serious eye damage/irritation : Causes serious eye irritation.

pH: 05-Aug

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : Not applicable

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Irritation.
Symptoms/effects after eye contact : Eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the

environment.

Magnesium Perchlorate

	EC50 - Crustacea [1]	100 mg/l
	NOEC chronic crustacea	50 mg/l

Magnesium perchlorate (10034-81-8)

EC50 - Crustacea [1]	100 mg/l Test organisms (species): Daphnia magna
----------------------	--

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

1/26/2024 (Revision date) US - en 5/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

14.1. UN number

 DOT NA No
 : UN1475

 UN-No. (TDG)
 : Not applicable

 UN-No. (IMDG)
 : 1475

 UN-No. (IATA)
 : 1475

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Magnesium perchlorate Proper Shipping Name (TDG) : Not applicable

Proper Shipping Name (IMDG) : MAGNESIUM PERCHLORATE
Proper Shipping Name (IATA) : Magnesium perchlorate

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : 5.1 Hazard labels (DOT) : 5.1



TDG

Transport hazard class(es) (TDG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : 5.1 Hazard labels (IMDG) : 5.1



IATA

Transport hazard class(es) (IATA) : 5.1 Hazard labels (IATA) : 5.1



14.4. Packing group

Packing group (DOT) : II

Packing group (TDG) : Not applicable

 $\begin{array}{lll} \mbox{Packing group (IMDG)} & : & \mbox{II} \\ \mbox{Packing group (IATA)} & : & \mbox{II} \end{array}$

14.5. Environmental hazards

Other information : No supplementary information available.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.6. Special precautions for user

DOT

UN-No.(DOT) : UN1475

DOT Special Provisions (49 CFR 172.102) : IB6 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1,

11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2). Additional Requirement: Composite IBCs 11HZ2 and 21HZ2 may not be used when the hazardous

materials being transported may become liquid during transport.

IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.

T3 - 2.65 178.274(d)(2) Normal...... 178.275(d)(2)

TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be

transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx) : 152 DOT Packaging Non Bulk (49 CFR 173.xxx) : 212 DOT Packaging Bulk (49 CFR 173.xxx) : 242 : 5 kg DOT Quantity Limitations Passenger aircraft/rail (49

CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 CFR : 25 kg

175.75)

: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel. DOT Vessel Stowage Location

DOT Vessel Stowage Other : 56 - Stow "separated from" ammonium compounds, 58 - Stow "separated from" cyanides

TDG

Emergency Response Guide (ERG) Number : 140

: 1 kg Limited quantities (IMDG) Excepted quantities (IMDG) : E2 Packing instructions (IMDG) : P002 IBC packing instructions (IMDG) : IBC06 IBC special provisions (IMDG) : B21 : T3 Tank instructions (IMDG) TP33 Tank special provisions (IMDG)

EmS-No. (Fire) : F-H - FIRE SCHEDULE Hotel - OXIDIZING SUBSTANCES WITH EXPLOSIVE POTENTIAL

: S-Q - SPILLAGE SCHEDULE Quebec - OXIDIZING SUBSTANCES EmS-No. (Spillage)

Stowage category (IMDG) : A

Segregation (IMDG) : SGG13, SG38, SG49

Properties and observations (IMDG) : White crystals or powder. Reacts vigorously with sulphuric acid. Reacts fiercely with cyanides when

> heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in

a fire, may cause an explosion.

TATA

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) Y544 : 2.5kg PCA limited quantity max net quantity (IATA) PCA packing instructions (IATA) : 558 PCA max net quantity (IATA) 5kg CAO packing instructions (IATA) : 562 CAO max net quantity (IATA) : 25kg

1/26/2024 (Revision date) US - en 7/8

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ERG code (IATA) : 5L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Magnesium perchlorate	10034-81-8	Present	Active	

15.2. International regulations

CANADA

Magnesium perchlorate (10034-81-8)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Magnesium perchlorate (10034-81-8)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 1/26/2024

Full text of H-phrases	
H272	May intensify fire; oxidizer
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
Н335	May cause respiratory irritation

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

1/26/2024 (Revision date) US - en 8/8